



**TESTQUAL**  
**PROFICIENCY TESTING SCHEMES**

**TestQual, S.L.**  
**(Proficiency Testing Schemes)**

*Pol. Industrial Oeste*  
*Av. Principal, Parcela 21/1*  
*CP 30169, San Ginés, Murcia*  
*Telephone: 868 949 486 / 676 367 555*

**TestQual 156 PROTOCOL**  
***Sterilizers and disinfectants***  
***in Sesame seeds***

# INDEX

0. GLOSARY AND ABBREVIATIONS.....	3
1. INTRODUCTION .....	3
2. OBJECTIVE .....	3
3. CALENDAR .....	3
4. REGISTER AND PARTICIPATION REQUEST (APPLICATION FORM).....	4
5. PREPARATION AND QUALITY CONTROLS .....	5
6. TEST MATERIAL AND SAMPLE SHIPMENT .....	5
7. CONCENTRATION RANGES, SIGMA OBJECTIVE AND ANALYTES.....	6
8. RESULTS EXPRESSION.....	7
9. STATISTICAL EVALUATION .....	7
10. EVALUATION REPORT.....	10
11. CONTACT .....	10
12. REFERENCES.....	11

## 0. GLOSARY AND ABBREVIATIONS

Text	Abbreviation
TestQual	TQ
Proficiency test	PT
Limit Of Quantification	LOQ
Not Analysed	NA
QAC	Quaternary Ammonium Compounds
DidecylDimethylAmmonium Chlorides	DDAC
AlkylBenzyldimethyAmmonium Chlorides	BAC
Ethylene oxide	EO
2-chloro-Ethanol	2-CE

## 1. INTRODUCTION

This document describes the **protocol** of the **TestQual 156** Proficiency Test (P.T.), belonging to the analysis of **Sterilizers and disinfectants** in **Sesame seeds**.

In the present document is detailed how to start working with TestQual, send your application to participate, the statistic that will be applied and information about the evaluation report.

TestQual, S.L. is committed to maintaining confidentiality with the information of each laboratory from the beginning of the proficiency test.

## 2. OBJECTIVE

The objective of the **TestQual 156** Proficiency Test is to evaluate the quality and accuracy of the results sent by the participating laboratories. Because of this, proficiency testing is an essential element of laboratory quality assurance. It will help to control and detect errors in their results or methods of analysis.

## 3. CALENDAR

The following table shows the program for this proficiency test:

Date	Activity	Carried out by
Week 3 (20/01/22)	Final date to submit applications	Participants
Week 7 (14/Feb/22 and 15/Feb/22)	Sample delivery	TestQual
Week 11 (18/Mar/22)	Final date to submit results	Participants
Week 14 (08/Apr/22)	Final report (Email and/or client area)	TestQual

The dates of this calendar might be slightly changed according to the development of the proficiency test during the year. However, any change would be notified to all participants announcing it on our website [www.TestQual.com](http://www.TestQual.com).

The **coordinator** of this proficiency test will be Jose Pedro Navarro. Any question regarding the development of the proficiency test can be consulted by email to [jpnavarro@testqual.com](mailto:jpnavarro@testqual.com).

#### **4. REGISTER AND PARTICIPATION REQUEST (APPLICATION FORM)**

##### **NEW CLIENT**

If your laboratory has not participated before in one of our proficiency tests you will have to register on the [REGISTER](#) form.

Once you have completed and sent the form you will have to wait until the activation of the account from the website administrator. If some more information is needed someone from our team will get in contact with you through the phone or email you used during your registration.

You can find our contact data at the end of this protocol.

For those laboratories that require more than one contact per account or are in a situation not contemplated in this protocol will have to contact the organizer using the Contact tab to be instructed how to proceed.

##### **APPLICATION FOR THE PROFICIENCY TEST**

To participate in this proficiency test or be updated via email of any changes regarding this proficiency test is required to have a laboratory code. To get your laboratory code is needed to apply through the website or have it arranged by the coordinator at least 24h before the shipping of the samples.

In the Proficiency Tests Tab on our website, you will have to select the proficiency test you want to participate, by clicking its name or the shopping cart you will enter the page with general information and a summary of that proficiency test, there you can find the present document (the protocol) and the button to start the application.

If you did not log in before you will be requested to do so and then the website will require you to submit your Limit Of Quantification (LOQ) for the parameters you will study. The compounds left as NA (NOT ANALYSED) will NOT appear in the Results form and therefore will not be able to send results for those parameters through the website.

Once the application has been sent, as soon as possible, it will be checked by the website administrator, and you will be sent an email with the participation code. This code will be just known only by the organizer and the participant and will be always kept confidential, even after the proficiency test finishes.

You can check on the dashboard of your client area if an application you sent has been accepted or is still pending.

Just one application per exercise can be sent by each laboratory, being not allowed for a laboratory to participate with two different codes.

The applications of the laboratories will be studied and accepted in base of the quantification limits of the analytes of the proficiency test and if the logistics allow the sample shipping without risk of deterioration.

According to the experience, TestQual can anticipate that the number of participants of this proficiency test will be around **11-15**, being 11 the minimum participants for the proficiency test to take place.

## 5. PREPARATION AND QUALITY CONTROLS

**TestQual 156** scheme is a proficiency test based in the analysis of **Sterilizers and disinfectants in Sesame seeds** that has been spiked with **standards**.

The material will be bought in an specialized shop in Spain and analysed by a subcontracted laboratory that holds the standard UNE-EN ISO/IEC 17025 into force.

The material will be poured into a homogenizer at a controlled temperature and then spiked with a solution with the analytes of the proficiency test. After complete homogenization it will be packed and stored in a temperature-controlled freezer until further shipping to the participants.

Before the samples are distributed, for the assessment of the homogeneity of the lot of samples prepared, ten samples from the lot will be selected randomly and analysed in duplicate by TestQual's collaborator laboratory under repeatability conditions. If the mean concentration obtained from this study is not within the planned range, the participants will be informed and a new distribution day might be scheduled if another spiking is deemed as necessary.

For stability assessment purpose, three samples are analysed, in duplicate, before, during and at the end (once all laboratories have sent the results) of the proficiency test.

## 6. TEST MATERIAL AND SAMPLE SHIPMENT

The shipment of the test materials will take place on the date shown in the calendar, to the address provided by each laboratory in the application. Specific delivery dates can change from the scheduled dates of the calendar, but all changes will be announced both in the website and by mail to the registered laboratories.

This PT will consist in a single round in which will be sent a sample of approximately **40 g** of test material. The samples will be sent by courier service (MRW, FedEx, DHL or TNT, depending on the destination).

The material will be sent with materials and package that ensures the samples arrives correctly. The transit will be 1, 2 or 3 days to the destination country, depending on the location of the receiving laboratory.

The shipping conditions for this PT are:

ROOM TEMPERATURE, The material will be sent in a vacuum packed, heat sealed plastic bag in dark conditions (opaque and padded envelope).

The shipping costs are not included in the price displayed on the website, which can only be seen if you are registered and logged in. To get an approximation of the shipping costs you can get your quotation by using the contact data at the end of this protocol.

A second test material can be requested date if necessary. If the package and/or the sample arrived damaged, defective, or not valid the participating laboratory will have to notify of this to the coordinator before two working days to get another sample.

Before the shipment, TestQual will send the instructions for storage and analysis via email and confirm the distribution date. You can request a paper copy to be attached to the package and/or TestQual might decide to include it in addition to have it sent by email.

From TestQual we encourage our participants to read it carefully and follow its instructions, as it can help to correctly conserve the sample and increase the reproducibility of the analysis.

You can request a digital copy of this document by letting us know through any communication channel.

## 7. CONCENTRATION RANGES, SIGMA OBJECTIVE AND ANALYTES

For this proficiency tests the range of concentration for the target analytes might be between **10** and **300 µg/Kg** approximately. The maximum concentration can vary depending on the MRL of the analytes in the matrix.

The **sigma objective ( $\hat{\sigma}$ )** which works in this scheme can be checked on section 9 of this protocol.

DDAC C8	DDAC C10	DDAC C12	BAC C10
BAC C12	BAC C14	BAC C16	BAC C18

Benzalkonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18)

Didecyltrimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12)

The results for Ethylene oxide will be reported and evaluated both separately and as EU applicable legislation and current definition of the residue according to Commission Regulation (EU) 2015/868 of 26 May 2015 amending Annexes II, III and V to Regulation (EC) No 396/2005 (..), ETHYLENE OXIDE, (..):

- “Ethylene oxide” as “Ethylene oxide”
- “2-Chloro-Ethanol” as “2-Chloro ethanol”
- Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)

as

Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)

## 8. RESULTS EXPRESSION

Each participant laboratory must analyse the sample received according to their routine procedure and fill up the RESULTS form of its client are of the website [www.TestQual.com](http://www.TestQual.com) with just one value per analyte/parameter.

The results should be expressed in  $\mu\text{g/Kg}$ . The number of significant figures and the units are to be chosen by laboratories and will be displayed in the report as received through the website.

The method used for the analysis of each compound informed should be sent when filling up the results form.

The organizer should get the results before the fixed data of the scheme.

If you have any problem logging in to your client area or submitting your results you can contact the coordinator of the PT for guidance or help.

Once the results are sent you can check if they were correctly recorded by accessing the detailed information of this proficiency test, which can be accessed in your client area.

## 9. STATISTICAL EVALUATION

TestQual will develop the following statistical evaluation:

TestQual considers as an **extreme outlier** any data which differs more than **50 %** of the average of all results reported by the laboratories, according to the Harmonize Protocol of the IUPAC. These extreme values will not be included in the calculation of the assigned value.

Once received all the results, TestQual evaluates the unimodality of all the values by Kernel test, being explained in the final report which is the followed procedure in case there is more than one distribution.

The **assigned value (X)** is determined using the robust average of the results considered valid for statistical computing (after eliminating the extreme outliers), according to the standard ISO 13528 into force.

The **standard uncertainty ( $u_x$ )** is calculated using robust statistics from the following formula:

$$u_x = s^*/\sqrt{p}$$

Being  $s^*$  the robust standard deviation of the data and  $p$  the number of results considered.

The following condition must be fulfilled in order to discard the contribution of the uncertainty:

$$u_x \leq 0,3 \hat{\sigma}$$

The **standard deviation for proficiency assessment**, also named **target standard deviation**, ( $\hat{\sigma}$ ), comes from this formula:

$$\hat{\sigma} = b_i \cdot X$$

Being  $b_i = \%_{DSRA} / 100$ , and  $\%_{DSRA}$  is the assigned relative standard deviation.

In this case, the assigned relative standard deviation is **25 %**.

This value has been chosen according to the experience of the organizer in this and similar proficiency test which procedure of the analysis similar to the parameters of this PT.

**Proficiency assessment (z-score):** This parameter shows the competence and accuracy of the laboratory. It is calculated using the following formula:

$$z = (x_i - X) / \hat{\sigma}$$

Where  $x_i$  is the value reported by the laboratories,  $X$  is the assigned value, and  $\hat{\sigma}$  is the target standard deviation for each analyte.

The criteria for defining the z-score values are:

	$ z $	$\leq 2$	Satisfactory
$2 <$	$ z $	$\leq 3$	Questionable
	$ z $	$> 3$	Unsatisfactory

In case the inequation  $u_x \leq 0,3 \hat{\sigma}$  is not fulfilled, the participants of the scheme will be informed in the report that the uncertainty is not negligible. For the parameters/analytes in which this situation occurs, the evaluation might be issued outside the accreditation as z'-score according to the following calculation:

$$z'\text{-score} = (x_i - X) / \sqrt{\hat{\sigma}^2 + U_x^2}$$

Where  $x_i$  is the value reported by the laboratories,  $X$  is the assigned value,  $\hat{\sigma}$  is the target standard deviation for each analyte and  $U_x$  is the uncertainty of the assigned value.

The criteria for defining the z'-score values are:

	$ z' $	$\leq 2$	Satisfactory
$2 <$	$ z' $	$\leq 3$	Questionable
	$ z' $	$> 3$	Unsatisfactory

False negatives: Any analyte not reported in the results that is in the sample above the limit of quantification previously established for this proficiency test by the organization and above the

LOQ of the participant laboratory (**10 µg/Kg for EO, 20µg/Kg for QAC**). TestQual assigns to all false negatives a result equal to half the laboratory limit of quantitation (LOQ/2).

False positives: Those analytes reported in the results, which is not present in the test material, and is reported by the participant at concentrations higher than the limit of quantification of the P.T. (**10 µg/Kg for EO, 20µg/Kg for QAC**).

#### Testing for sufficient homogeneity:

Once the samples are prepared ten of them will be chosen at random and sent to be analysed by TestQual's collaborator laboratory. Once received the results, a statistical evaluation will be performed, according to the IUPAC Harmonic Protocol.

The acceptance criterion to ensure that the randomly chosen samples are homogeneous is that the square of the estimated sampling standard deviation is below the critical value for accepting proper homogeneity:

$$S_{sam}^2 < c$$

In the first place to check the criterion,  $S_{sam}^2$  which is the estimated sampling standard deviation, was calculated from:

$$S_{sam} = \left( \frac{V_s}{2} - S_{an} \right)$$

Firstly  $V_s$  is the variance of the sums  $S_i$ :

$$V_s = \sum \frac{(S_i - \bar{S})^2}{m - 1}$$

Where  $S_i$  was obtained from the addition of each duplicate result from the homogeneity;  $\bar{S}$  is the mean of all  $S_i$  and  $m$  is the number of samples (10 samples).

And secondly  $S_{an}^2$ , which is the experimental estimate of analytical standard deviation, is obtained following the next formula:

$$S_{an}^2 = \frac{\sum D_i}{2m}$$

where  $D_i$  is the result of the subtraction of each pair of replicates from the homogeneity and  $m$  is the number of samples.

In second place to check the criterion for sufficient homogeneity the critical value  $c$  was obtained from:

$$c = F_1 \cdot \sigma_{all}^2 + F_2 \cdot S_{an}^2$$

Being  $F_1$  and  $F_2$  constants with values equal to 1.88 and 1.01 respectively for 10 samples.  $S_{an}^2$  has already been calculated and  $\sigma_{all}^2$  is obtained from:

$$\sigma_{all}^2 = (0.3 \cdot \hat{\sigma})^2$$

where  $\hat{\sigma}$  is the target standard deviation, which is calculated with the formula:

$$\hat{\sigma} = 0.25 \cdot \bar{X}$$

Being  $\bar{X}$ , the mean of the 20 values from the homogeneity.

#### **Testing for sufficient stability:**

Three samples will be analysed, in duplicate, before, during and at the end (once all laboratories have sent the results) of the proficiency test.

The acceptance criteria to ensure the samples have been stable during the whole proficiency test are the following:

$$\begin{aligned} |(X_{t1} - X_{t2}) / X_{t1}| \cdot 100 &\leq 10\% \\ |(X_{t1} - X_{t3}) / X_{t1}| \cdot 100 &\leq 10\% \end{aligned}$$

Being  $| (X_{t1} - X_{tn}) / X_{t1} |$  the difference between the average of the samples analysed before, during and at the end of the proficiency test.

## **10. EVALUATION REPORT**

Once received and statistically evaluated all of the participating laboratories results, TestQual will send a final report that summarizes the participation of each laboratory.

This final report will be received by the laboratories via e-mail in PDF format or an email notifying that the report is now available to be downloaded from the private area of each participant in [www.TestQual.com](http://www.TestQual.com).

If desired, the laboratory may request the report in paper, and it will be sent to its laboratory by mail.

In the event that a participant wishes to appeal against the assessment program performance, a written appellation must be sent by e-mail to [jpnavarro@testqual.com](mailto:jpnavarro@testqual.com) explaining the reasons for it.

## **11. CONTACT**

TestQual puts at your disposal any of the following means to contact our team:

Website:	<a href="#">Contact</a>
Email:	<a href="mailto:jpnavarro@testqual.com">jpnavarro@testqual.com</a>
Office phone:	+34 868 94 94 86
Mobile phone:	+34 676 367 555

## 12. REFERENCES

TestQual Proficiency Testing Schemes are based on the following standards:

UNE-EN ISO/IEC 17043, first edition 2010-02-01. Conformity assessment- General requirements for proficiency testing.

ISO13528:2015, second edition 2015-08-01. Statistical methods for use in proficiency testing by interlaboratory comparison.

THE INTERNATIONAL HARMONIZED PROTOCOL FOR THE PROFICIENCY TESTING OF ANALYTICAL CHEMISTRY LABORATORIES

EU Pesticides database (v.2.2) Search Pesticides residues

Commission Regulation (EU) No 1119/2014 of 16 October 2014 amending Annex III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for **BENZALKONIUM CHLORIDE** and **DIDECYLDIMETHYLAMMONIUM CHLORIDE** in or on certain products

OJ L 304, 23.10.2014, p. 43–74

Commission Regulation (EU) 2015/868 of 26 May 2015 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for 2,4,5-T, barban, binapacryl, bromophos-ethyl, camphechlor (toxaphene), chlorbufam, chloroxuron, chlozolate, DNOC, di-allate, dinoseb, dinoterb, dioxathion, **ETHYLENE OXIDE**, fentin acetate, fentin hydroxide, flucycloxuron, flucythrinate, formothion, mecarbam, methacrifos, monolinuron, phenothrin, propham, pyrazophos, quinalphos, resmethrin, tecnazene and vinclozolin in or on certain products

OJ L 145, 10.6.2015, p. 1–71

# END OF DOCUMENT

